

MULTINAK S

THE PROFESSIONAL HEAVY DUTY STAPLER



WE CREATE A PROFESSIONAL IMPRESSION



The Multinak twin headed staplers allow the efficient production of jobs requiring frequent change-over between flat and saddle stapling. Versatile and durable, the machines are the industry standard for all types of commercial and inplant applications.

■ The power operated Nagel Multinak S or treadle version Nagel Multinak FS feature two stapling heads that can vary in position between 80 – 155 mm.

The preformed staples ensure accurate production of booklets and pads from just 2 up to 270 sheets. For brochures or booklets to be filed in ring binders without being punched the original Nagel loop staples are the perfect solution.




NAGEL MULTINAK FS with treadle.



Easy transition from flat to saddle stapling.

■ The change-over from flat to saddle stapling is made by simply flicking over the table. The optional table extension includes a back stop bar and makes it easy to handle large formats like calenders and DIN A3 size. Special clamps for small formats to centre and hold down the brochure come as standard.

The Multinak twin headed staplers operate extremely quietly and combine consistent stapling accuracy with high performance operation. Both models are conform to the European CE safety standards.



Sturdy stapling heads for efficient production.



Option for large formats: the NAGEL MULTINAK table extension.

Professional finishing adds value to your products.

■ **Power clenching system**

The clenching mechanism provides a flat stitch, pushing the legs of the staple flat against the material to ensure strong, perfectly formed staples each time.

■ **Operating table**

Fast change-over from flat to saddle stapling is effected by simply flicking over the table. An optional extension table including a back stop bar is recommended for large formats.

■ **Wear parts**

The operator can easily replace all wear parts – no technical support is required.



■ **Versatility**

Quick and easy set-up of the heads to take different staple sizes. Two types of stapling heads are available: Head A takes staple types 24, 26, 30 and loop staples and can process brochures or pads up to 150 sheets. Head B takes staples type 50 and is the ideal choice for the production of thick pads up to 270 sheets (but can also process brochures).


■ **Reliability**

The Multinak is designed to give years of trouble-free service. Fast, versatile and remarkably reliable, the Multinak is a high performance stapler.

NAGEL MULTINAK S with table for flat and saddle stapling.

The chisel point of the original NAGEL staples effects effortless penetration of paper, cardboard, plastic, leather, textiles or wood.

■ Manufactured on highly specialised machines we only allow minimum tolerances for maximum reliability and use a special glue to prevent jammed stapling heads. There are five different wire thicknesses available from 0,4 mm to 1,1 mm and eleven different lengths from 6 mm to 30 mm.



The original Nagel loop staples enable booklets and brochures to be filed in ring binders without being punched. Filed brochures can be opened perfectly flat without hurting the paper. The content is protected against losses through punch holes and more print space is available.

Technical specifications

Multinak S		
	A	B
Type of stapling heads	2	2
Number of stapling heads	2	2
Min. distance between stapling heads (mm)	80	80
Max. distance between stapling heads (mm)	155	155
Brochures	from 2 sheets (80 gsm)	from 2 sheets (80 gsm)
Pads up to approx.	150 sheets (80 gsm)	270 sheets (80 gsm)
Staple leg length (mm)	6 – 18	6 – 30
Staple types	24, 26, 30	50, B 50
Loop staples	yes	no
Staple magazine per head	type 30 = 500 staples type 26 = 400 staples type 24 = 300 staples	type 50 = 400 staples type B 50 = 300 staples
Throat depth (mm)		
Brochures	310	310
Pads	150	150
Clamps for small formats	✓	✓
Extension table with back stop bar	•	•
Weight net / gross (kg)	100 / 111	100 / 111
Power supply	230 V / 50 Hz or 400 V / 50 Hz	230 V / 50 Hz or 400 V / 50 Hz
Available with foot treadle (no power supply)	• yes (model FS)	• yes (model FS)
H x W x D operational (cm)	110 x 60 x 75 128 x 60 x 75 (treadle version)	110 x 60 x 75 128 x 60 x 75 (treadle version)
H x W x D packed (cm)	130 x 75 x 75 150 x 75 x 75 (treadle version)	130 x 75 x 75 150 x 75 x 75 (treadle version)

✓ Standard • Optional

■ Contact

Ernst Nagel GmbH
Breitwiesenstraße 21
70565 Stuttgart/Germany

Phone export +49 711-780 78-21
Fax export +49 711-780 78-20

E-Mail sales@ernstnagel.com
www.ernstnagel.com

